

Chair Timothy D. Hugo

Board of DirectorsWilliam D. Euille

Gregory F. Holland Mark E. Rubin Robert C. Sledd

Hearings, Appeals & Judicial Services

SCHEDULED HEARINGS DOCKET

(CHARLOTTESVILLE REGIONAL OFFICE)

Licensee	Objections/Charges	Administrative Law Judge	Attorneys/ Representatives	Agents	Virtual Pre-Hearing Conference Date/Time *Held via Microsoft Teams OR Telephonically*	Formal Hearing Date/Time	Formal Hearing Location
BOTANICAL FARE LLC BOTANICAL BAR 2025 LIBRARY AVE CROZET, VA 22932 MAILING ADDRESS: BOTANICAL FARE LLC BOTANICAL BAR 421 E MAIN ST CHARLOTTESVILLE, VA 22902-5235 Application No.: 013336890 – WINE AND BEER ON AND OFF PREMISES 013336890 – MIXED BEVERAGE RESTAURANT	The applicant, a person not licensed under the ABC Act, is/has keeping (kept) or is/has allowing (allowed) to be kept alcoholic beverages upon the applicant premises while the application is (was) pending. REF: Sections 4.1-222 1.n. and 4.1-315 of the Code of Virginia.	Justin Richardson		M. Stephen, SA	August 14, 2023, at 10:00 a.m.	August 21, 2023, at 10:00 a.m.	Charlottesville Regional Office 630 Peter Jefferson Parkway, Suite 260 Charlottesville, Virginia 22911
Administrative Case No.: 013386223							



CHAMPION BREWING COMPANY LLC CHAMPION BREWING COMPANY LLC 324 6TH ST CHARLOTTESVILLE, VA 22902-5655	On 4/20/2023 at approximately 6:00pm, the licensee sold alcoholic beverages to a	M. A. Hall, SA M. Stephen, SA	August 14, 2023, at 1:00 p.m.	August 21, 2023, at 1:00 p.m.	Charlottesville Regional Office 630 Peter Jefferson Parkway, Suite 260, Charlottesville, Virginia 22911
MAILING ADDRESS:	person who the licensee knew or had reason at				
CHAMPION BREWING COMPANY LLC CHAMPION BREWING COMPANY LLC	the time to believe was less				
610 CAMI LN	than twenty-one years				
CHARLOTTESVILLE, VA 22902-5974	of age, in violation of				
License:	Sections 4.1-202, 4.1- 225 1.b., and 4.1-304 A.				
095016 – WINE AND BEER ON AND OFF	of the Code of Virginia				
PREMISES	and 3 VAC 5-50-10 and 3 VAC 5-50-20.				
ADMINISTRATIVE CASE #: 013374461	3 VAC 3 30 20.				