## Virginia Alcoholic Beverage Control Authority

Chief Executive Officer
Travis G. Hill



Timothy D. Hugo
Vice Chair
Robert C. Sledd
Board of Directors
William D. Euille
Gregory F. Holland
Mark E. Rubin

## Hearings, Appeals & Judicial Services

## **SCHEDULED HEARINGS DOCKET**

\*PUBLIC SAFETY\*

\*\*AMENDED\*\*

(ROANOKE REGIONAL OFFICE)

Licensee	Charges	Administrative Law Judge	Attorneys/ Representatives	Agents	Subpoena	Hearing Date/Time	Hearing Location
MIC AL, LLC	<ol> <li>The licensee has</li> </ol>	M. Page, Esq.	R. Yates, Esq.	T. W. Massie, SA	A. Pulley	SEPTEMBER 11,	<b>VIRTUAL THROUGH</b>
WR BREWS	failed to take reasonable			L. Demshar, SA		2023, AT 3:00 P.M.	<b>MICROSOFT TEAMS</b>
3801 WILLIAMSON ROAD	measures to prevent the		D. Padgett, Esq.,	R. Goff, SA			
ROANOKE, VA 24012-3331	licensed premises, an		Attorney for the				
	adjacent premises owned or		Licensee				
MAILING ADDRESS:	leased by the licensee, or						
MIC AL, LLC	public property adjacent to						
WR BREWS	the licensed premises, from						
C/O DIRK B. PADGETT, ESQ.	becoming a place where						
DIRK PADGETT LAW PLLC	patrons of the establishment						
211 E. JACKSON AVENUE	commit criminal violations						
VINTON, VA 24179	enumerated in Section 4.1-						
	225 1.p. and such violations						
License No.:	lead to arrests that are so						
750585– WINE AND BEER ON AND OFF PREMISES	frequent and serious as to						
750585- MIXED BEVERAGE RESTAURANT	be reasonably deemed a						
	continuing threat to public						
Administrative Case No.: 013406666	safety, in violation of						
	Sections 4.1-202 and 4.1-225						
	1.p. of the Code of Virginia.						



2. The licensee has			
failed to take reasonable			
measures to prevent an act			
of violence resulting in death			
or serious bodily injury, or a			
recurrence of such acts, on			
or about August 25, 2023,			
from occurring on the			
licensed premises, any			
premises immediately			
adjacent to the licensed			
premises that is owned or			
leased by the licensee, or			
any portion of public			
property immediately			
adjacent to the licensed			
premises in violation of			
Sections 4.1-202 and 4.1-225			
1.q. of the Code of Virginia.			
3. Between January			
2023 and August 2023, the			
licensee failed to keep			
complete, accurate and			
separate records, in			
violation of Sections 4.1-202,			
4.1-204 and 4.1-225 1.b. of			
the Code of Virginia and 3			
VAC 5-70-90 and 3 VAC 5-70-			
180.			
4. The licensee failed			
to submit to the Board a			
complete and accurate			
annual review report for the			
year ending June 30, 2023,			
in violation of Sections 4.1-			
114, 4.1-202 and 4.1-225			
1.b. of the Code of Virginia			
and 3 VAC 5-70-90 D.			
<u> </u>	•	•	